

2005-05-28

## Index of Recent Literatures in Electrochemical Technique and its Applications

---

### Recommended Citation

. Index of Recent Literatures in Electrochemical Technique and its Applications[J]. *Journal of Electrochemistry*, 2005 , 11(2): Article 23.

DOI: 10.61558/2993-074X.2749

Available at: <https://jelectrochem.xmu.edu.cn/journal/vol11/iss2/23>

This Latest and Hot Paper is brought to you for free and open access by Journal of Electrochemistry. It has been accepted for inclusion in Journal of Electrochemistry by an authorized editor of Journal of Electrochemistry.

# 最新电化学技术应用文献摘引

## Index of Recent Literatures in Electrochemical Technique and its Applications

### 能量存储与转移

- 新型锂离子电池负极材料高容量层状  $\text{LMn}_{0.9}\text{Ni}_{0.05}\text{Fe}_{0.05}\text{O}_2$  的合成和表征 P. Suresh, A. K. Shukla and N. Munichandraiah, *Electrochemical and Solid-State Letters* 2005, Vol 8(6), A263-A266
- 用于固态氧化物燃料电池耐高硫的铜-氧化铈阳极 Hongpeng He, Raymond J. Gorte and John M. Vohs, *Electrochemical and Solid-State Letters* 2005, Vol 8(6), A279-A280
- 从膜中水分分布研究膜厚度对聚合物电解质燃料电池性能的影响 Kazuhiro Teranishi, Shohji Tsushima and Shuichiro Hirai, *Electrochemical and Solid-State Letters* 2005, Vol 8(6), A281-A284
- 氟化磷酸锂钒对称型锂离子电池 J. Barker, R. K. B. Gowar, P. Bums and A. Bryan, *Electrochemical and Solid-State Letters* 2005, Vol 8(6), A285-A287
- 以液晶模板沉积多孔镍作超电容电极材料评价 V. Ganesh, V. Lakshminarayanan and S. Pitchumani, *Electrochemical and Solid-State Letters* 2005, Vol 8(6), A308-A312
- 燃料电池质子交换膜的优良催化剂——硫盐磺化碳支撑催化剂 Zhiqiang Xu, Zhigang Qi and Arthur Kaufman, *Electrochemical and Solid-State Letters* 2005, Vol 8(6), A313-A315
- 氧化钛纳米管的制备与新型的锂嵌入性质 Junrong Li, Zilong Tang and Zhongtai Zhang, *Electrochemical and Solid-State Letters* 2005, Vol 8(6), A316-A319
- 液态锂离子溶胶新型质子膜 M. A. Navarra, S. Panero and B. Scrosati, *Electrochemical and Solid-State Letters* 2005, Vol 8(6), A324-A327
- 在  $\text{Mn}_2\text{O}_4$  和  $\text{MnOOH}$  单晶混合物中控制高宽比生长  $\text{MnOOH}$  制备超电容器 Yung-Tai Wu and Chi-Chang Hu, *Electrochemical and Solid-State Letters* 2005, Vol 8(5), A240-A244
- 薄膜固体酸燃料电池 Tetsuya Uda and Sossina M. Haile, *Electrochemical and Solid-State Letters* 2005, Vol 8(5), A245-A246
- 用于太阳能水裂解的优化杂化光电极 Eric L. Miller, Bjorn Marsen, Daniela Paluselli et al, *Electrochemical and Solid-State Letters* 2005, Vol 8(5), A247-A249
- 固体氧化物燃料电池新型连接材料 Zhiguo Liu, Dawei Dong, Xiqiang Huang et al, Shen and Wenhui Su, *Electrochemical and Solid-State Letters* 2005, Vol 8(5), A250-A252
- 一种中温质子传导电解液—— $\text{C}_2\text{H}_2\text{PO}_4/\text{SiP}_2\text{O}_7$  复合物 Toshiaki Malsui, Tomokazu Kukino, Ryuji Kikuchi et al, *Electrochemical and Solid-State Letters* 2005, Vol 8(5), A256-A258
- 可再充电锂电池的一种正极材料——纳米铋氟化合物 M. Bervas, F. Badway, L. C. Klein and G. G. Amalucci, *Electrochemical and Solid-State Letters* 2005, Vol 8(4), A179-A183
- 利用瞬间放电等离子体烧结法制备密集  $\text{Li}_{0.05}\text{Mn}_{0.95}\text{O}_4/\text{C}$  正极 Tomonari Takeuchi, Mitsuharu Tabuchi, Akiko Nakashima, Hiroyuki Kageyama and Kuniaki Tatsumi
- 可作为聚合物电解质燃料电池的一种新型阴极材料——钼氮氧化物 Akimitsu Ishihara, Kunchan Lee, Shotaro Doi, Shigenori Mitsushima, Nobuyuki Kamiya, Michikazu Hara, Kazunari Domen, Kenzo Fukuda and Ken-ichiro Ota, *Electrochemical and Solid-State Letters* 2005, Vol 8(4), A201-A203
- 应用硼氢化物法制备碳支撑 Pt-Ni 合金——直接甲醇燃料电池电催化剂 E. Antolini, J. R. C. Salgado, A. M. dos Santos and E. R. Gonzalez, *Electrochemical and Solid-State Letters* 2005, Vol 8(4), A226-A230
- 无湿环境下运行的氟化氢离子液体燃料电池 Rika Hagiwara, Toshiyuki Nohira, Kazuhiko Malsumoto et al, *Electrochemical and Solid-State Letters* 2005, Vol 8(4), A231-A233
- Pt-CeO<sub>2</sub>/C 催化剂电化学氧化乙醇 Xu Changwei, Shen Pei Kang, *Journal of Power Sources* 2005, Vol 142(1-2), 27-29
- 直接甲醇燃料电池碳支撑 Pt-Ru 纳米微粒制备 Deivanaj T. C.; Lee, Jim Yang, *Journal of Power Sources* 2005, Vol 142(1-2), 43-49

- 直接甲醇燃料电池实验性研究 Ge Jiabin; Liu Hongtan, *Journal of Power Sources* 2005, Vol 142(1-2), 56-69
- 应用与非破坏性相反的方法测定质子交换膜燃料电池 s 内部温度的无规则分布 Chang Mei-Hsia; Cheng Chin-Hsiang, *Journal of Power Sources* 2005, Vol 142(1-2), 200-210
- 用于高温质子交换膜燃料电池的固体酸薄膜 Hogarth W. H. J.; Diniz da Costa J. C.; Lu G. Q. (Max), *Journal of Power Sources* 2005, Vol 142(1-2), 223-237
- $\text{FePO}_4 \cdot 2\text{H}_2\text{O}$  水合物的结构和电化学性质 Zaghb K.; Julien C. M., *Journal of Power Sources* 2005, Vol 142(1-2), 279-284
- 手机锂离子电池循环能力和存储能力损耗的影响因素 Takeno Kazuhiko; Ichimura Masahiro; Takano Kazuo; Yamaki Junichi, *Journal of Power Sources* 2005, Vol 142(1-2), 298-305
- 长寿命锂二次电池  $\text{LiCo}_2\text{Ni}_{1-x}\text{O}_2$  石墨-焦炭杂合碳系统的循环性质 Kida Yoshinori; Yanagida Kalsunori; Yanai AIsushi; Funahashi AIsuhiro; Nohma Toshiyuki et al., *Journal of Power Sources* 2005, Vol 142(1-2), 323-328
- 螯合磷酸锂的电解性质及其在锂电池中的应用 Nanbu Noritoshi; Tsuchiya Koji; Sasaki Yukio, *Journal of Power Sources* 2005, Vol 142(1-2), 333-338
- 温度对二次锂离子电池电容和功率的影响 Belt Jeffrey R.; Ho Chinh D.; Miller Ted J.; et al., *Journal of Power Sources* 2005, Vol 142(1-2), 354-360
- 平面和立方固态氧化物燃料电池的有限容量模型和杂合循环性能 Stiller Christoph; Thonud Bjørn; Seljel, Steinar et al., *Journal of Power Sources*, 2005, Vol 141(2), 227-240
- 先进锂离子电池负极材料——多层 Sn-Zn-Cu 合金薄膜 Wang Lianbang; Kitamura Shingo; Obata Keigo; Tanase Shigeo; Sakai Tetsuo, *Journal of Power Sources*, 2005, Vol 141(2), 286-292
- 袋式锂离子电池的日程寿命性能 Ramasamy Ramaraja P.; White Ralph E.; Popov Branko N., *Journal of Power Sources*, 2005, Vol 141(2), 298-306
- 铅酸电池电极地孔隙率测量 Ferguson E.; Loyson P.; Rust N., *Journal of Power Sources*, 2005, Vol 141(2), 316-325
- 一种新型的电子双层电容器电极材料 Wei Y.-Z.; Fang B.; Iwasa S.; Kumagai M., *Journal of Power Sources*, 2005, Vol 141(2), 386-391
- 直接甲醇燃料电池电催化剂层的制备 Chen C. Y.; Yang P.; Lee Y. S.; Lin K. F., *Journal of Power Sources*, 2005, Vol 141(1), 24-29
- 含流动碱性电解质的直接乙醇或氢硼化钠燃料电池阴极催化剂——二氧化锰 Verma A.; Jha A. K.; Basu S., *Journal of Power Sources*, 2005, Vol 141(1), 30-34
- $\text{Li}_{1+x}(\text{Ni}_{1.5}\text{Mn}_{0.5})\text{O}_{2+\delta}$  阴极材料的加速合成和电化学性能 Shlyakhtin O. A.; Choi Sun-Hee; Yoon Young Soo et al., *Journal of Power Sources*, 2005, Vol 141(1), 122-128
- 采用聚氨基甲酸酯丙烯酸 纳米二氧化硅复合物电解质的全固态锂聚合物电池 Jiang Guoxin; Maeda Seiji; Yang Huabin; Saito Yoichiro; Tanase Shigeo; Sakai Tetsuo, *Journal of Power Sources*, 2005, Vol 141(1), 143-148
- 共掺杂  $\text{Mn}_2\text{O}_4$ : 一种可能用作锂电池的阳极材料 Pasero D.; Reeves N.; West A. R., *Journal of Power Sources*, 2005, Vol 141(1), 156-158
- 应用碳涂层的  $\text{Ni}_0\text{Si}_0$  复合物作锂离子电池阳极材料 Lee Heon-Yong; Kim Young-La; Hong Moon-Ki et al., *Journal of Power Sources*, 2005, Vol 141(1), 159-162
- 柔性石墨制作的电极阳极和集流器 Yazici M. S.; Krassowski D.; Prakash J., *Journal of Power Sources*, 2005, Vol 141(1), 171-176
- 用碳纳米管作氧化还原催化剂支持材料的聚合物电解质膜燃料电池性能 Rajalakshmi N.; Ryu Hojin; Shaikhon M. M.; Ramaprabhu S., *Journal of Power Sources*, 2005, Vol 140(2), 250-257
- 应用质子导电电解质的中温直接氢燃料电池 Maffei N.; Pelletier L.; Charland J. P.; McFarlan A., *Journal of Power Sources*, 2005, Vol 140(2), 264-267
- 固态氧化物燃料电池材料的分类及其制作替代物 Wincewicz Keegan C.; Cooper Joyce S., *Journal of Power Sources*, 2005, Vol 140(2), 280-296
- 高密度燃料电池的新型气体分配器及优化 Li P. W.; Chen S. P.; Chyu M. K., *Journal of Power Sources*, 2005, Vol 140(2), 311-318
- 质子交换膜燃料电池杂合中性网络模型 Ou Shaoduan; Achenie Luke E. K., *Journal of Power Sources*, 2005, Vol 140(2), 319-330
- 用作锂离子电池阳极材料纳米  $\text{CoSb}_3$  溶剂的热合成和电化学性能 Xie J.; Zhao X. B.; Cao G. S.; Zhao M. J.; Su S. F., *Journal of Power Sources*, 2005, Vol 140(2), 350-354
- 锂离子电池负极材料  $\text{Li}_{1+x}\text{Ni}_{1.5}\text{Mn}_{0.5}\text{O}_{2+\delta}$  ( $0 \leq x \leq 0.7$ ) 的结构和电化学性质 Choi Sun Hee; Shlyakhtin O. A.; Kim Joosun; Yoon Young Soo, *Journal of Power Sources*, 2005, Vol 140(2), 355-360
- 一种用于锂离子电池隔膜的无机复合物膜 Zhang S. S.; Xu K.; Jow T. R., *Journal of Power Sources*, 2005, Vol 140(2), 361-364

- 以不锈钢作集流器的锂-硫电池自放电 Ryu H. S.; Ahn H. J.; Kim K. W.; Ahn J. H.; Lee J. Y.; Caims E. J., *Journal of Power Sources*, 2005, Vol 140(2), 365-369
- 聚丙烯基二茂铁修饰电极在水溶液介质中的电化学 Issa Touma B.; Singh Pritam; Baker Murray V., *Journal of Power Sources*, 2005, Vol 140(2), 388-391
- 一种含  $MnO_2$  催化阴极的简单高效直接硼氢化物燃料电池 Feng R. X.; Dong H.; Wang Y. D.; Ai X. P.; Cao Y. L.; Yang H. X., *Electrochemistry Communications*, 2005, Vol 7(4), 449-452
- 多壁碳纳米管的电化学氧化及其在电化学双层电容器中的应用 Ye Jian-Shan; Liu Xiao; Cui HuiFang; Zhang Wei-De; Sheu Fwu-Shan; Lin TitMeng, *Electrochemistry Communications*, 2005, Vol 7(3), 249-255
- 甲醇浓度对主动式直接甲醇燃料电池性能的影响 Liu J. G.; Zhao T. S.; Chen R.; Wong C. W., *Electrochemistry Communications*, 2005, Vol 7(3), 288-294

## 电镀与表面精饰

- 在钛酸盐/苯醌混合物中的二氧化钛薄膜电沉积 Seiichi Sawatani; Tsukasa Yoshida; Tomokazu Ohya; Takayuki Ban; Yasutaka Takahashi; and Hideki Minoura, *Electrochemical and Solid-State Letters*, 2005, Vol 8(5), C69-C71
- 室温下发射可见光的氮化锡薄膜 Naoyuki Takahashi and Takato Nakamura, *Electrochemical and Solid-State Letters*, 2005, Vol 8(4), C63-C64
- 金吸附原子对修饰酞菁的金表面稳定性及电化学行为的影响 Karolien De Wael; Philippe Westbroek; Annemie Adriaens and Eduard Temmerman, *Electrochemical and Solid-State Letters*, 2005, Vol 8(4), C65-C68
- 温度对 ZnO 电沉积的影响 A. Goux; T. Pauporté; J. Chivot and D. Lincot, *Electrochimica Acta*, 2005, Vol 50(11), 2239-2248
- 在结合 Nafion 的碳电极上电沉积 Pt 用作氧还原反应的催化剂电极 Wei Z. D.; Chan S. H.; Li L. L.; Cai H. F.; Xia Z. T.; Sun C. X., *Electrochimica Acta*, 2005, Vol 50(11), 2279-2287
- 从 EDTA 碱性溶液电沉积镍和镍钴复合氧化物膜 Innocenzo G. Casella and Rocco Spera, *Journal of Electroanalytical Chemistry*, 2005, Vol 578(1), 55-62
- EDTA 对银电沉积的影响——伏安研究以及银膜的形貌和结构表征 G. M. de Oliveira; L. L. Barbosa; R. L. Broggi and I. A. Carlos, *Journal of Electroanalytical Chemistry*, 2005, Vol 578(1), 151-158
- 在氰化物-柠檬酸盐电解质中电沉积金-镍合金研究 A. Dolati; M. Ghorbani and M. R. Ahmadi, *Journal of Electroanalytical Chemistry*, 2005, Vol 577(1), 1-8

## 腐蚀与防护

- 在磷酸盐/甘油电解液中加工成形的纳米多孔阳极铌氧化物 Q. Lu; T. Hashimoto; P. Skeldon; G. E. Thompson; H. Habazaki; and K. Shimizu, *Electrochemical and Solid-State Letters*, 2005, Vol 8(5), B17-B20
- 油/海水混合物环境中腐蚀监测和流动表征的新进展 H. Bouazaze; F. Huet and R. P. Nogueira, *Electrochimica Acta*, 2005, Vol 50(10), 2081-2090
- 应用小波技术分析纯铝在氯化钠溶液中点蚀行为 Chao Cai; Zhao Zhang; Fahe Cao; Zuoning Gao et al, *Journal of Electroanalytical Chemistry*, 2005, Vol 578(1), 143-150

## 电合成, 电化学传感器及其他

- 钨对甲酸电氧化钒催化剂的意外活性 Robert Larsen; Joseph Zakzeski; and Richard I. Masel, *Electrochemical and Solid-State Letters*, 2005, Vol 8(6), A291-A293
- 电化学制备纳米多孔氧化锡纳米棒阵列 Kuen-Hua Wu and Shih-Yuan Lu, *Electrochemical and Solid-State Letters*, 2005, Vol 8(4), D9-D11
- 大气压力下以甲醇作氢源于熔融盐电解合成氨 Tsuyoshi Murakami; Toshiyuki Nohira; Yukio H. Ogata; and Yasuhiko Ito, *Electrochemical and Solid-State Letters*, 2005, Vol 8(4), D12-D14
- 在无支持和碳支持的钨纳米微粒上自发沉积铂的甲醇电氧化 Kuk S. T.; Wieckowski A., *Journal of Power Sources*, 2005, Vol 141(1), 1-7
- 酸性介质中铅电极上丙酮酸的选择性电还原 Martin C.; Huser H.; Servat K.; Kokoh K. B., *Electrochimica Acta*, 2005, Vol 50(12), 2431-2435
- 利用形成 N-C<sub>4</sub>键合成  $\beta$ -内酰胺的电化学替代策略 M. Feroci; M. Orsini; L. Palmi; L. Rossi and A. Ines, *Electrochimica Acta*, 2005, Vol 50(10), 2029-2036
- 氨基取代的 1,2-苯醌衍生物的电化学合成 D. Nematollahi and M. Hesari, *Journal of Electroanalytical Chemistry*, 2005, Vol 577(2), 197-203
- 铂纳米微粒/碳纳米管复合电极对氧的电催化还原 Hui-Fang Cui; Jian-Shan Ye; Wei-De Zhang; John Wang and Fwu-Shan

- Shan Sheu Journal of Electroanalytical Chemistry 2005, Vol 577(2), 295—302
- 甲酸电催化氧化的溶液分析 Anke Senses Karin Gatemann and Markus Eiswirth Journal of Electroanalytical Chemistry 2005, Vol 577(1), 35—46
- 硫化铅纳米粒子的循环伏安法合成 Yang Yu Jun; He Lun Ying; Zhang Qin Fa, Electrochemistry Communications, 2005, Vol 7(4), 361—364
- 电化学合成吡咯纳米管场发射表征 J. Joo S. J. Lee D. H. Park et al Electrochemical and Solid-State Letters 2005, Vol 8(4), H39—H41
- 用镓酸镧氧化物离子传导电解液制备敏感电流计型一氧化氮传感器 Electrochemical and Solid-State Letters 2005, Vol 8(5), H46—H48
- 氧化镍电显色目视法检测甲醇浓度 Hee-Sang Shim, Hyo-Jin Ahn, Tae-Yeon Seong et al Electrochemical and Solid-State Letters 2005, Vol 8(6), A277—A278
- 检测低浓度二氧化氮的新型高选择性二氧化氮传感器 Weizhen Xiong and Girish M. Kale Electrochemical and Solid-State Letters 2005, Vol 8(6), H49—H53
- 固态纳米复合物电镀铬传感器 Se-Hee Lee, C. Edwin Tracy, Yanfa Yan et al Electrochemical and Solid-State Letters 2005, Vol 8(4), A188—A190
- Fe<sub>3</sub>O<sub>4</sub>纳米微粒修饰电极的制备及其在多巴胺伏安检测中的应用 Electroanalysis 2005, Vol 19(9), 744—748 B in Fang Guangfeng Wang Wenzhi Zhang Maoguo Li Xianwen Kan
- 应用银电极差减阳极溶出伏安法检测含铈植入材料铅 & 镉 Beata Krasnodebska—Ostrega Joanna Piekarska Electroanalysis 2005, Vol 19(9), 815—818
- 应用 p-苯二胺修饰碳糊电极阳极溶出伏安法检测铅 Imane Adraoui Mana ElRhazi Aziz Amine Laila Idrissi Antonella Cunilli Giuseppe Paleschi Electroanalysis 2005, Vol 19(8), 685—693
- 苯均四酸存在下阴极溶出伏安检测铀的高灵敏度吸附 M. B. Gholivand H. Rashidi Nassab Electroanalysis 2005, Vol 19(8), 719—723
- 余氯的电化学检测——阴极电位阶跃计时库仑法 Shin-ya Kishioka Tsuyoshi Kosugi Akifumi Yamada Electroanalysis 2005, Vol 19(8), 724—726
- 应用分子印章聚合物修饰丝网印刷碳电极检测 1-羟基嵌二萘的伏安 Electroanalysis 2005, Vol 19(7), 571—578 Nicole Kirsch Kevin C. Honeychurch John P. Hart Michael J. Whitcombe
- 应用氧化银 磷酸银电极检测氨基酸及其对结构响应的分析 James M. DeMott Jr., Edwin G. E. Jahngen Electroanalysis 2005, Vol 19(7), 599—606
- 硅 苯胺干凝胶刚果红; 制备及其作为抗坏血酸电量法传感器的应用 Flávio André Pavan Emerson Schwinge Ribeiro Yoshitaka Gushiken Electroanalysis 2005, Vol 19(7), 625—629
- 基于肌红蛋白吸附在多壁碳纳米管上的氮氧化物生物传感器 Li Zhang Guang-Chao Zhao Xian-Wen Wei Zhou-Sheng Yang Electroanalysis 2005, Vol 19(7), 630—634
- 应用微型 ITO膜对人血中全碱性磷酸酶进行的电化学检测 Hong-Jeong Kim and Juhyoun Kwak Electrochemical determination of total alkaline phosphatase in human blood with a micropatterned ITO film. Journal of Electroanalytical Chemistry 2005, Vol 577(2), 243—248
- 使用硼掺杂金刚石电极旋转圆盘技术检测水银 Manivannan L. Ramakrishnan M. S. Seehra E. Granite J. E. Butler D. A. Tryk and A. Fujishima Mercury detection at boron doped diamond electrodes using a rotating disk technique Journal of Electroanalytical Chemistry 2005, Vol 577(2), 287—293
- p-四溴苯醌修饰碳糊电极的电化学性质—抗坏血酸, 多巴胺, 尿酸同时检测应用 H. R. Zare N. Nasirizadeh and M. Mazloum Arlakani Journal of Electroanalytical Chemistry 2005, Vol 577(1), 25—33
- 新型含十六烷基吡啶四碘和四溴离子对的固态镉离子选择电极 M. N. Abbas and E. Zahran Journal of Electroanalytical Chemistry 2005, Vol 576(2), 205—213
- 金基底上非标记线形和发夹型 DNA的固定化及其杂交的电化学检测 Steichen M.; Buess-Heman C., Electrochemistry Communications, 2005, Vol 7(4), 416—420
- 细胞色素 c在多壁碳纳米管修饰电极上的直接电化学及其对 H<sub>2</sub>O<sub>2</sub>还原的电催化活性 Zhao Guang-Chao Yin Zheng-Zhi Zhang Li Wei Xian-Wen, Electrochemistry Communications, 2005, Vol 7(3), 256—260
- 新型导电聚苯胺纳米微粒生物传感器制备方法 Morris A. oifé Wilbeer Frank Nganna Orawan Moulton Simon E; Kilford Anthony J; Wallace Gordon G; et al, Electrochemistry Communications, 2005, Vol 7(3), 317—322

(周剑章编译)