

2008-02-28

Index of Recent Literatures in Electrochemical Technique and its Applications

Recommended Citation

. Index of Recent Literatures in Electrochemical Technique and its Applications[J]. *Journal of Electrochemistry*, 2008 , 14(1): Article 23.

DOI: 10.61558/2993-074X.2787

Available at: <https://jelectrochem.xmu.edu.cn/journal/vol14/iss1/23>

This Latest and Hot Paper is brought to you for free and open access by Journal of Electrochemistry. It has been accepted for inclusion in Journal of Electrochemistry by an authorized editor of Journal of Electrochemistry.

最新电化学技术应用文献摘引

Index of Recent Literatures in Electrochemical Technique and its Applications

能量储存与转移

- 金属支撑固态氧化物燃料电池的制备和表征, Changbo Lee and Joongyeon Bae Journal of Power Sources 2008, Volume 176, Issue 1, 62-69
- 用于燃料电池的柠檬酸功能化碳材料, Chee Kok Poh, San Hua Lim, Hui Pan, Jianyi Lin and Jin Yang Lee Journal of Power Sources 2008, Volume 176, Issue 1, 70-75
- 用于辅助能源的低温金属支撑固态氧化物燃料电池的动态评介, Zhenwei Wang, Jörg Oberste Berghaus, Sing Yick et al Journal of Power Sources 2008, Volume 176, Issue 1, 90-95
- 中温固态氧化物燃料电池高性能 $Gd_{1.8}Sr_{0.2}CoO_3 - Ce_{0.9}Gd_{0.1}O_{1.95}$ 复合阴极 Shouguo Huang, Chunqiu Peng and Zheng Zong Journal of Power Sources 2008, Volume 176, Issue 1, 102-106
- 中温固态氧化物燃料电池阴极材料 $(Pr-Nd)_{1-y}Sr_yMnO_{3-z}$ 和 $(Pr_xNd_x)_{0.7}Sr_{0.3}MnO_{3-z}$ 的合成和电化学性质, Mingfei Liu, Dehua Dong, Lei Chen et al Journal of Power Sources 2008, Volume 176, Issue 1, 107-111
- 同时产成能量和乙烯的燃料电池质子膜 Zhicong Shi, Jing-Li Luo, Shouyan Wang et al Journal of Power Sources 2008, Volume 176, Issue 1, 122-127
- 在铬毒化环境下中温固态氧化物燃料电池阴极的化学兼容性和电化学性质, Takeshi Komatsu, Reiichi Chiba, Hajime Arai and Kazunori Sato Journal of Power Sources 2008, Volume 176, Issue 1, 132-137
- 直接甲醇燃料电池自调节燃料添加系统 Y. H. Chan, T. S. Zhao, R. Chen and C. Xu Journal of Power Sources 2008, Volume 176, Issue 1, 183-190
- 热处理和化学组分对熔融 $(Li+K)$ 碳酸盐 $Ni-Al$ 金属间化合物腐蚀行为的影响, J. G. Gonzalez-Rodriguez, E. Mejia, I. Rosales et al Journal of Power Sources 2008, Volume 176, Issue 1, 215-221
- 利用燃气涡轮和固态氧化物燃料电池的协同整合提高暂态容量, Fabian Mueller, Robert Gaynor, Allie E. Auld et al Journal of Power Sources 2008, Volume 176, Issue 1, 229-239
- 反应物湿度对由平行和交错流场设计的质子交换膜燃料电池的性能影响, Xiao-Dong Wang, Yuan-Yuan Duan, Wei-Mon Yan and Fang-Bor-Weng Journal of Power Sources 2008, Volume 176, Issue 1, 247-258
- 用作质子交换膜燃料电池双极板的碳膜涂层 304 不锈钢, Chih-Yeh Chung, Shi-Kun Chen, Po-Jen Chiu, Ming-Hsin Chang, Tien-Tsai Hung and Tse-Hao Ko Journal of Power Sources 2008, Volume 176, Issue 1, 276-281
- 用作质子交换膜燃料电池双极板的脉冲电弧离子镀 C_xN 涂层 316L 不锈钢, Yu Fu, Ming Hou, Guoqiang Lin, Junbo Hou Journal of Power Sources 2008, Volume 176, Issue 1, 282-286
- 直接氢硼化物燃料电池燃料效率的研究, Romain Jamar, Antoine Latour, Jeremie Salmon et al Journal of Power Sources 2008, Volume 176, Issue 1, 287-292
- 质子交换膜燃料电池金属性气体扩散层的性能, Feng-Yuan Zhang, Suresh G. Advani and Ajay K. Prasad Journal of Power Sources 2008, Volume 176, Issue 1, 293-298
- 用于水下交通工具的碳化钙基燃料系统, A. Alan Burke, Louis G. Carreiro and Eric S. Greene Journal of Power Sources 2008, Volume 176, Issue 1, 299-305
- 能源气吸氢附材料——碳纳米纤维, M. O. Danilov, A. V. Melezhyk and G. Ya. Kolbasov Journal of Power Sources 2008, Volume 176, Issue 1, 320-324
- 应用于便携装置的 型直接甲醇燃料电池, U. A. Icardi, S. Specchia, G. J. R. Fontana, G. Saracco and V. Specchia Journal of Power Sources 2008, Volume 176, Issue 2, 460-467

- Ballard公司在燃料电池技术方面的最新进展, Jürgen Stumper and Charles Stone *Journal of Power Sources* 2008, Volume 176, Issue 2, 468-476
- 直接甲醇燃料电池阳极催化剂的分解, Gyeong-Su Park Chanho Pak Young-Su Chung *Journal of Power Sources* 2008, Volume 176, Issue 2, 484-489
- 纳米碳气体扩散电极设计, M. Soehn M. Lebert T. Wirth S. Hofmann and N. Nicoloso *Journal of Power Sources* 2008, Volume 176, Issue 2, 494-498
- 无定形钴 硼 泡沫镍——碱性硼氢化钠溶液中产氢的有效催化剂, Hong-Bin Dai Yan Liang Ping Wang and Hui-Ming Cheng *Journal of Power Sources* 2008, Volume 177, Issue 1, 17-23
- 一种基于乙醇火焰的高性能无燃烧室燃料电池, Kang Wang Ran Ran Yong Hao et al *Journal of Power Sources* 2008, Volume 177, Issue 1, 33-39
- 聚乙烯醇 羟基磷灰石复合聚合物膜空气呼吸直接甲醇燃料电池的电化学性能, Chun-Chen Yang Shwu-Jer Chiu and Cheng-Tsung Lin *Journal of Power Sources* 2008, Volume 177, Issue 1, 40-49
- 用于中温固态氧化物燃料电池的 Al_2O_3 基新型压缩粘合剂, Shaobai Sang Wei Li Jian Pu and Li Jian *Journal of Power Sources* 2008, Volume 177, Issue 1, 77-82
- 质子交换膜燃料电池堆动态行为的诊断, Jixin Chen and Biao Zhou *Journal of Power Sources* 2008, Volume 177, Issue 1, 83-95
- 微型固态氧化物燃料电池, Anja Bieberle-Hüttner Daniel Beckel Anna Infortuna et al *Journal of Power Sources* 2008, Volume 177, Issue 1, 123-130
- 质子交换膜燃料电池新型电镀铝双极板, Sanaa A. Abo El-Enin Omar E. Abdel-Salam et al *Journal of Power Sources* 2008, Volume 177, Issue 1, 131-136
- 采用双层阳极催化剂层的高性能直接乙醇燃料电池, Q. Wang G. Q. Sun L. Cao L. H. Jiang et al *Journal of Power Sources* 2008, Volume 177, Issue 1, 142-147
- 含有复杂几何结构电极的共平面单室微型固态氧化物燃料电池的制备和测试, Melanie Kuhn Teko Nappom Michel Meunier et al *Journal of Power Sources* 2008, Volume 177, Issue 1, 148-153
- 萤石基集成式对称固态氧化物燃料电池, Juan Carlos Ruiz Morales Jesús Canales-Vázquez et al *Journal of Power Sources* 2008, Volume 177, Issue 1, 154-160
- 采用涂敷聚苯胺和聚吡咯层的铝作为质子交换膜燃料电池双极板, Shine Joseph J. C. McClure P. J. Sebastian et al *Journal of Power Sources* 2008, Volume 177, Issue 1, 161-166
- 用于交通的燃料电池系统:现状和发展趋势, Rajesh K. Ahluwalia and Xiaohua Wang *Journal of Power Sources* 2008, Volume 177, Issue 1, 167-176
- 挤压:一种环境友好的质子交换膜燃料电池膜加工法, J.-Y. Sanchez F. Chabert C. Jojoia J. et al *Electrochimica Acta* 2007, Vol 53(4), 1584-1595
- 直接 L 抗坏血酸燃料电池碳阳极的电化学氧化, Sunghyun Uhm Jinsub Choi Sung Taik Chung and Jaeyoung Lee *Electrochimica Acta* 2007, Vol 53(4), 1731-1736
- 应用非标称条件下热能组合的固态氧化物燃料电池系统的分析, Pilar Lisbona Alessandro Corradetti Roberto Bove and Piero Lunghi *Electrochimica Acta* 2007, Vol 53(4), 1920-1930
- 用于低湿度环境的质子交换膜燃料电池功能化阶梯纳米多孔扩散层, A. M. Kannan L. Cindrella and L. Munukutla *Electrochimica Acta* 2007, Vol 53(5), 2416-2422
- 共聚(亚芳香基醚腈)——用于直接甲醇燃料电池的高性能聚合物电解质 Yu Seung Kim Dae Sik Kim Baijun Liu Michael D. Guiver and Bryan S. Pivovar *Journal of The Electrochemical Society* 2008, Vol 155(1), B21-B26
- 固态氧化物燃料电池电池阻抗的评估和模型化, A. Leonide V. Sonn A. Weber and E. Ivers-Tiffée *Journal of The Electrochemical Society* 2008, Vol 155(1), B36-B41
- 中温直接二甲醚燃料电池, Pilwon Heo Masahiro Nagao Mitsuru Sano and Takashi Hibino *Journal of The Electrochemical Society* 2008, Vol 155(1), B92-B95
- 直接氢氧化 还原燃料电池的进展, Khalid Fatih David P. Wilkinson Franz Moraw Alan Illicio and Francois Girard *Electrochemical and Solid State Letters* 2008, Vol 11(2), B11-B15
- 掺杂钛酸锂化合物的电化学性质及其用于锂电池的性能, Atef Y. Shenouda and K. R. Murali *Journal of Power Sources*

2008, Volume 176, Issue 1, 332-339

- 锂离子电池阳极材料——球形硅/石墨/碳复合物, JongHyuk Lee Wan-Jun Kim, Jae-Youn Kim, et al. *Journal of Power Sources* 2008, Volume 176, Issue 1, 353-358
- 新型碳纳米纤维/氧化钴复合物——用于大容量和高可逆性的锂存储, Wen-Li Yao, Jiu-Lin Wang, Jun Yang and Guo-Dong Du. *Journal of Power Sources* 2008, Volume 176, Issue 1, 369-372
- 球状 $\text{Li}_{1-x}(\text{Ni}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3})_{1-x}\text{O}_2$ 阴极材料的物理和电化学性质, S. H. Park, S. H. Kang, I. Belharouak, Y. K. Sun and K. Amine. *Journal of Power Sources* 2008, Volume 177, Issue 1, 177-183
- 聚三苯胺:一种用于锂离子电池的高能量和高电容阴极材料, J. K. Feng, Y. L. Cao, X. P. Ai and H. X. Yang. *Journal of Power Sources* 2008, Volume 177, Issue 1, 199-204
- 具有高初始库仑效率的纳米 Sn 和硬碳复合阳极材料, Bingkun Guo, Jie Shu, Kun Tang, Ying Bai, et al. *Journal of Power Sources* 2008, Volume 177, Issue 1, 205-210
- 提高 $\text{LNi}_{1-x}\text{Co}_x\text{O}_2$ 阴极材料结构稳定性和电化学活性的氯掺杂, Xinlu Li, Feiyu Kang, Wanci Shen and Xinde Bai. *Electrochimica Acta* 2007, Vol 53(4), 1761-1765
- LiFeBO_3 ——新型锂电池阴极材料的结构和电化学性能, Y. Z. Dong, Y. M. Zhao, Z. D. Shi, X. N. An, P. Fu and L. Chen. *Electrochimica Acta* 2007, Vol 53(5), 2339-2345
- 水热法合成锂离子电池阳极材料 Co_3O_4 微球, Yan Liu, Changhuan Mi, Linghao Su and Xiaogang Zhang. *Electrochimica Acta* 2007, Vol 53(5), 2507-2513
- 充电锂电池阳极材料—— CoMnSb , Shinsuke Matsuno, Masanobu Nakayama and Masataka Wakihara. *Journal of The Electrochemical Society* 2008, Vol 155(1), A61-A65
- 铝组分对镍氢电池负极前驱体 $\text{MmNi}_{1.4-x}\text{Co}_x\text{O}_2$ 合金性质的影响, S. Bliznakov, E. Lefterova, N. Dimitrov, K. Petrov and A. Popov. *Journal of Power Sources* 2008, Volume 176, Issue 1, 381-386
- 用于超级电容器的壳/鞘式聚吡咯/聚苯胺复合电极的制备和容量增强, Hongyu Mi, Xiaogang Zhang, Xiangguo Ye and Sudong Yang. *Journal of Power Sources* 2008, Volume 176, Issue 1, 403-409
- 高负载量、高能和能量密度的钒氧化物超级电容器, Xiaorong Liu and Peter G. Pickup. *Journal of Power Sources* 2008, Volume 176, Issue 1, 410-416
- 用作超级电容器电极的 $\text{RuO}_2 \cdot x\text{H}_2\text{O}$ 碳纤维复合物, F. Pico, J. Ibañez, M. A. Lillo-Rodenas, A. Linares-Solano, et al. *Journal of Power Sources* 2008, Volume 176, Issue 1, 417-425
- 高能镍氢电池的进展, Peter B. Uerlein, Christina Antonius, Jens Löffler and Jörg Kümpers. *Journal of Power Sources* 2008, Volume 176, Issue 2, 547-554
- 酒石酸盐对碱性浴中铅锡电沉积的形貌和结构特性的影响, J. L. P. Siqueira and I. A. Carlos. *Journal of Power Sources* 2008, Volume 177, Issue 1, 211-216
- 整合热电和光伏——用于移动计算的辅助能源, Ali Muhtaroglu, Alex Yokochi and Annette von Jouanne. *Journal of Power Sources* 2008, Volume 177, Issue 1, 239-246
- 充电镍电池多壁碳纳米管镍糊电极性能的提高, Q. S. Song, G. K. Aravindaraj, H. Sultana and S. L. I. Chan. *Electrochimica Acta* 2007, Vol 53(4), 1890-1896
- 电沉积 $\text{ZnO}/\text{Cu}_2\text{O}$ 异质结太阳能电池, S. S. Jeong, A. Mittiga, E. Salza, A. Masci and S. Passerini. *Electrochimica Acta* 2007, Vol 53(5), 2226-2231
- 用于铅酸电池电流收集极的沥青基碳泡沫制备和电化学性质, Ya Chen, Bai-Zhen Chen, Xi-Chang Shi, et al. *Electrochimica Acta* 2007, Vol 53(5), 2245-2249
- 离子添加剂 NaI/I^- 对聚合物凝胶电解质性质和准固态染料敏化太阳能电池性能的影响, Zhang Lan, Jihui Wu, Jianming Lin, et al. *Electrochimica Acta* 2007, Vol 53(5), 2296-2301
- 一种带有意外阴极层的“无锂”薄膜电池, Wen-Yuan Liu, Zheng-Wen Fu, and Qi-Zong Qin. *Journal of The Electrochemical Society* 2008, Vol 155(1), A8-A13
- 用于电化学超级电容器的纳米二氧化锰合成和表征, P. Ragupathy, H. N. Vasanth, and N. Munichandraiah. *Journal of The Electrochemical Society* 2008, Vol 155(1), A34-A40
- 明胶水凝胶电解质及其对电化学超级电容器中的应用, N. A. Choudhury, S. Sanpath, and A. K. Shukla. *Journal of The Electrochemical Society* 2008, Vol 155(1), A74-A81

电沉积与表面精饰

- 模板媒介电沉积制备卵壳顶大孔镍膜, YiWen Chung Ing-Chi Lee Jian Hong Lee et al *Electrochimica Acta* 2007, Vol 53(4), 1703-1707
- 在热磷酸甘油电解质中 Ti-Si 合金多孔阳极膜的生成, H. Habazaki Y. Okawa K. Fushimi K. et al *Electrochimica Acta* 2007, Vol 53(4), 1775-1781
- 糖精钠存在下硅(111)表面铁薄膜的电沉积, J Zapellon H. F. Jurca J J Klein W. H. et al *Electrochimica Acta* 2007, Vol 53(4), 2002-2008
- 无铅 Sn-Bi 焊料的电沉积: 复合剂对组分、粘附和树枝状结晶生成的影响, YiDa Tsai Chi-Chang Hu and Chi-Cheng Lin *Electrochimica Acta* 2007, Vol 53(4), 2040-2047
- 铜在碘修饰金(111)电极上的过电位沉积, Alejandro Martínez-Ruiz Manuel Palmari-Parlavé and Nikola Batina *Electrochimica Acta* 2007, Vol 53(5), 2115-2120
- AZ91D 镁合金无电复合电镀涂层的高腐蚀阻抗, Y. W. Song D. Y. Shan and E. H. Han *Electrochimica Acta* 2007, Vol 53(5), 2135-2143
- 复合剂对钴氧化物阳极沉积和电化学特性的影响, Chi-Chang Hu and Tung-Yu Hsu *Electrochimica Acta* 2007, Vol 53(5), 2386-2395
- 低浓度 Pb^{2+} 对锡在甲基磺酸溶液中电沉积的影响, Haiyan Wang and Mark Pritzker *Electrochimica Acta* 2007, Vol 53(5), 2430-2440
- 三乙醇胺和胡椒醛对弱酸浴中阴极极化以及 Sn-Ag-Cu 合金电沉积性质的影响, Jinqiu Zhang Maozhong An Lin in Chang and Guiyuan Liu *Electrochimica Acta* 2007, Vol 53(5), 2637-2643
- 铜在硅基底树状聚合物修饰的天然氧化物上的电沉积, David Arrington Michael Curry Shane Street Gyana Pattanaik and Giovanni Zangari *Electrochimica Acta* 2007, Vol 53(5), 2644-2649
- 二维 Cf/SiC 复合物保护层 HfO_2/SiC : 高温氧化对机械性能的影响, M. Pavese P. Fino C. Badini A. Ortona and G. Marino Pages 2059-2067
- 沉积参数对 Sn-Ni 电沉积涂层粘附力、硬度和耐磨度的影响, Humberto Jiménez Linda Gil Mariana H. Staia and Eli Saúl Puchi-Cabrera Pages 2072-2079
- Zr(IV) 十八烷基膦酸盐涂层对 AA2024-T3 表面氧气还原的抑制, Eric J. Dufek and Daniel A. Buttry *Electrochemical and Solid-State Letters* 2008, Vol 11(2), C9-C12
- 等离子体增强原子层沉积制备用于 DRAM 电容器的 $TiO_2/Al_2O_3/TiO_2$ 纳米层薄膜, Woojin Jeon Hoi-Sung Chung Daekwon Joo and Sangwon Kang *Electrochemical and Solid-State Letters* 2008, Vol 11(2), H19-H21
- 碳纤维在 DMF 中的直流电沉积, Yu Jun Yang George Jin Zhao and Shengshui Hu *Electrochemistry Communications* 2007, Vol 9(11), 2681-2685

腐蚀与防护

- 三唑衍生物对软钢在盐酸中的腐蚀抑制——Part II 时间和温度效应和热动力学处理, Hamdy H. Hassan *Electrochimica Acta* 2007, Vol 53(4), 1722-1730
- 钨酸盐、钼酸盐和亚硝酸盐离子对碳钢在含氯离子碱性水溶液中点蚀的抑制作用, M. A. Deyab and S. S. Abd El-Rehim *Electrochimica Acta* 2007, Vol 53(4), 1754-1760
- 脉冲电镀纳米晶锌涂层的结构和腐蚀特性, R. Ramanauskas L. Gudavičius R. Juškėnas and O. Ščit *Electrochimica Acta* 2007, Vol 53(4), 1801-1810
- 沉积在镁合金上的 Ni-P 化学镀层于人工海水中的腐蚀行为, Y. W. Song D. Y. Shan and E. H. Han *Electrochimica Acta* 2007, Vol 53(4), 2009-2015
- 用于钢的含聚苯胺玻璃片组合件的腐蚀保护层, S. Sathiyarayanan S. Syed Azim and G. Venkatachari *Electrochimica Acta* 2007, Vol 53(5), 2087-2094
- 富锌和聚苯胺粉末涂层的电化学和抗腐蚀性, A. Meroufel C. Deslouis and S. Touzain *Electrochimica Acta* 2007, Vol 53(5), 2331-2338
- 氯化钠溶液中镍基超合金纳米晶涂层颗粒尺寸对腐蚀行为的影响, Li Liu Ying Li and Fuhui Wang *Electrochimica Acta* 2007, Vol 53(5), 2453-2462

- 镍铝青铜合金微结构和裂缝中溶液对裂缝腐蚀初始化的影响, J. A. Wharton and K. R. Stokes *Electrochimica Acta* 2007, Vol 53(5), 2463-2473
- 聚(N乙基苯胺)涂层对304不锈钢在盐酸和氯化钠水溶液中的腐蚀防护, Aziz Yağar, Nuran Z. Çiçek Pekmez and Atilla Yildiz *Electrochimica Acta* 2007, Vol 53(5), 2474-2482
- 流动电解质扫描微滴池技术观测铝合金钎接金属片腐蚀电位的剖面分布, Koji Fushimi, Shunsuke Yamamoto, Ryota Ozaki and Hiroki Habazaki *Electrochimica Acta* 2007, Vol 53(5), 2529-2537
- 在K³⁸G合金基底上由磁控溅射法制备的多层Cr₂N涂层的高温腐蚀行为, Tianpeng Li, Yanchun Zhou, Meishuan Li and Zhongping Li *Pages* 1985-1993
- 铈和镍对磷酸锌涂层的腐蚀抑制作用, E. P. Banczek, P. R. P. Rodrigues and I. Costa *Pages* 2008-2014
- 无电镀镍涂层对镁合金腐蚀疲劳行为的影响, S. Ishihara, H. Notoya, A. Okada, Z. Y. Nan and T. Goshima *Pages* 2085-2092
- 在316L不锈钢上由溶胶-凝胶法制备的多层二氧化硅-异丁烯酸盐杂合涂层:电化学评估, Damián A. López, Nataly C. Roseo, Navarro, Josefina Ballarín et al *Pages* 2194-2201
- AA6061铝合金激光焊接处的电流腐蚀, A. B. M. Mujibur Rahman, S. Kumar and A. R. Gerson *Corrosion Science* 2007, Vol 49(12), 4339-4351
- 海洋需氧假单胞菌株对70/30 Cu-Ni合金腐蚀的影响, S. J. Yuan, Amy M. F. Choong and S. O. Pehkonen *Corrosion Science* 2007, Vol 49(12), 4352-4385
- 充氩对5083锻造铝合金机械性能的影响, C. N. Panagopoulos and E. P. Georgiou *Corrosion Science* 2007, Vol 49(12), 4443-4451
- 高合金度奥氏体不锈钢的焊接L₁B₁体系的电流腐蚀, E. Blasco-Tamarit, A. Igual Muñoz and J. García-Antón *Corrosion Science* 2007, Vol 49(12), 4452-4471
- 2024-T3铝合金的室温凝固溶胶-凝胶抗腐蚀预处理, Heming Wang and Robert Akiel *Corrosion Science* 2007, Vol 49(12), 4491-4503
- AZ31镁合金上的锡酸盐和高锰酸转换层, F. Zucchi, A. Frignani, V. Grassi, G. Trabanelli and C. Monticelli *Corrosion Science* 2007, Vol 49(12), 4542-4552
- 铜焊多层材料AA4343/AA3003/AA4343的腐蚀行为:冷冻剂参数的影响, S. Tierce, N. Pèbère, C. Blanco, C. Casenave, G. Mankowski and H. Robidou *Corrosion Science* 2007, Vol 49(12), 4581-4593
- 锆的MEVVA离子植入对PCD氮化钛涂层腐蚀行为的影响, K. P. Punushotham, L. P. Ward, N. Brack, P. J. Pigram et al *Corrosion Science* 2007, Vol 50(1), 8-14
- 高温潮湿空气中沉积NaCl的Ti60合金的协同腐蚀行为, Yunying Xiong, Shenglong Zhu and Fuhui Wang *Corrosion Science* 2007, Vol 50(1), 15-22
- 冷轧钢在过乙酸溶液中的腐蚀行为, Qing Qu, Shuan Jiang, Lei Li, Wei Bai and Jun Zhou *Corrosion Science* 2007, Vol 50(1), 35-40
- 气候对结构钢的腐蚀特性的作用, D. D. N. Singh, Shyamjeet Yadav and Jayant K. Saha *Corrosion Science* 2007, Vol 50(1), 93-110
- 受NaCl微粒初始诱发的锌在空气中的腐蚀:CO₂和SO₂的影响, Z. Y. Chen, D. Persson and C. Leygraf *Corrosion Science* 2007, Vol 50(1), 111-123
- 高磷生铁在模拟混凝土孔洞溶液中的腐蚀, Gadadhar Sahoo and R. Balasubramaniam *Corrosion Science* 2007, Vol 50(1), 131-143
- 新型腐蚀抑制剂长烷基侧链乙酰胺,异唑烷和异唑啉的合成和评价, A. Yildirim and M. Çetin *Corrosion Science* 2007, Vol 50(1), 155-165
- Mg-xGd-(3Y-0.4Zr (x=6, 8, 10, 12 wt%))合金在低端老化条件下的腐蚀研究, Jianwei Chang, Xingwu Guo, Shangning He et al *Corrosion Science* 2007, Vol 50(1), 166-177
- 高温高速蒸汽喷嘴下Yb₂Si₂O₇相的退化行为, Shunkichi Ueno, Tatsuki Ohji and Hua-Tay Lin *Corrosion Science* 2007, Vol 50(1), 178-182
- 莲花状多孔高氮无镍不锈钢的腐蚀行为, Kelly Alvarez, Soong Keun Hyun, Hiroaki Tsuchiya et al *Corrosion Science* 2007, Vol 50(1), 183-193

- 铝在含铜环境中的腐蚀行为, I Bakos and S Szabó *Corrosion Science* 2007, Vol 50(1), 200-205
- 热带海岸空气中金属的室外室内腐蚀, F Corvo T Perez L R Dzib Y Martín et al *Corrosion Science* 2007, Vol 50(1), 220-230
- 普通水污染物对乙二醇水溶液中铝合金腐蚀的影响, Olusegun K Abiola and J O E Otaigbe *Corrosion Science* 2007, Vol 50(1), 242-247
- 聚吡咯电聚合的超声处理对镀层钢腐蚀防护的影响, Damian Kowalski Mikito Ueda and Toshiaki Ohtsuka *Corrosion Science* 2007, Vol 50(1), 286-291
- 共价键结合的甲氧甲酚自组装单层超薄二维聚合物膜对铁的保护, Tadashi Shimura and Kunitsugu Aramaki *Corrosion Science* 2007, Vol 50(1), 292-300
- 应用纳米晶等离子体电解制备铝扩散层的一种新型方法, M Aliolkhazraei and A Sabour Roohaghdam *Electrochemistry Communications* 2007, Vol 9(11), 2686-2691

电化学传感器及其他

- 传统电显色器件单相杂合纳米复合聚电解质的性能, Flavio L Souza Michel A Aegerter and Edson R Leite *Electrochimica Acta* 2007, Vol 53(4), 1635-1642
- 可显示差减原色的凝胶电解质柔性电显色装置, Norihisa Kobayashi Shohei M iura Mami Nishimura and Yutaka Goh *Electrochimica Acta* 2007, Vol 53(4), 1643-1647
- $\text{Nb}_2\text{O}_5 \cdot \text{M}_2\text{O}$ 薄膜和凝胶电解质固态电显色器件, César O Avellaneda Diogo F Vieira Amal AlKahlout et al *Electrochimica Acta* 2007, Vol 53(4), 1648-1654
- 含多核镍(II)水杨醛亚胺金属树枝状大分子烯烃平台的新型电化学 DNA 传感器, Omotayo A Arotiba Anna Ignaszak Rehana Malgas et al *Electrochimica Acta* 2007, Vol 53(4), 1689-1696
- 阴极电位下鲁米诺在电子加热控制的微电极上的电化学发光行为, Zhenyu Lin Jianjun Sun Jinhua Chen Liang Guo and Guonan Chen *Electrochimica Acta* 2007, Vol 53(4), 1708-1712
- 叶酸在杯烯基化学修饰电极上的电化学行为及其用于吸附转移伏安法的检测, Vishwanath D Vaze and Ashwini K Srivastava *Electrochimica Acta* 2007, Vol 53(4), 1713-1721
- 聚(耐尔蓝 A) 功能化单壁碳纳米管及其在脱氢酶生物传感器中的应用, Pan Du Shuna Liu Ping Wu and Chenxin Cai *Electrochimica Acta* 2007, Vol 53(4), 1811-1823
- 利用电生成的溴离子阳极裂解碳硼化合物 De-Qing Shi Anna Gitkis and James Y Becker *Electrochimica Acta* 2007, Vol 53(4), 1824-1829
- 含放射性废水的棉纸处理及使用离子液体电化学回收有用物质, Ch Jagadeeswara Rao K A Venkatesan K Nagarajan et al *Electrochimica Acta* 2007, Vol 53(4), 1911-1919
- 使用修饰变胺蓝的单壁碳纳米管电极催化氧化检测 NADH, A Radoi D Compagnone M A Valcarcel et al *Electrochimica Acta* 2007, Vol 53(5), 2161-2169
- 以镍作阴极由二氧化碳和芳基取代烯烃高效电化学生成 2 芳基丁二酸, Gao-Qing Yuan Huan-Feng Jiang Chang Lin and Shi-Jun Liao *Electrochimica Acta* 2007, Vol 53(5), 2170-2176
- 使用铈修饰沸石掺杂碳糊电极和差分脉冲转移伏安法现场高灵敏性检测 Cd 和 Pd Linyuan Cao Jianbo Jia and Zhenhui Wang *Electrochimica Acta* 2007, Vol 53(5), 2177-2182
- 电显色器件着色效率的法拉第电荷校正测量 M Faretto T Vaithianathan C Hall J et al *Electrochimica Acta* 2007, Vol 53(5), 2250-2257
- 应用调制电流电解 BDD 阳极氧化的有机污染物, M Panizza Agnieszka Kapalka and Ch Comninellis *Electrochimica Acta* 2007, Vol 53(5), 2289-2295
- 一种新型的采用功能二氧化钛纳米微粒检测 α 胎蛋白兔标记的伏安免疫传感器, Wen-Bin Liang Ruo Yuan Ya-Qin Chai Yan Li and Ying Zhuo *Electrochimica Acta* 2007, Vol 53(5), 2302-2308
- 连接在金原子上的酞菁染料和卟啉及其对羟化物氧化的催化性质, Karolien DeWael and Annemie Adriaens *Electrochimica Acta* 2007, Vol 53(5), 2355-2361
- 用于葡萄糖电化学发光生物传感器的碳纳米管/Nafion 膜修饰玻碳电极, Zhenyu Lin Jinhua Chen and Guonan Chen *Electrochimica Acta* 2007, Vol 53(5), 2396-2401

- 吩噻嗪和并噻吩交替聚合物的电化学合成, Mieczysław Lepakowski, Sylwia Plewa, Agnieszka Stolarczyk, *Electrochimica Acta* 2007, Vol 53(5), 2545-2552
- 可加工五彩仿制荧光聚合物及其在电显色装置中的显色效率, Atila Cihaner and Fatih A lgi, *Electrochimica Acta* 2007, Vol 53(5), 2574-2578
- Si₃N₄钝化和门金属粗糙度对 α -Si:H 薄膜场效应管性能的影响, Jian Z. Chen, K. Cherenack, C. Tsay, I-Chun Cheng and Sigurd Wagner, *Electrochemical and Solid-State Letters* 2008, Vol 11(2), H26-H28
- 以离子液体作非水介质用于过氧化氢监测的高性能、高稳定性的血红蛋白生物传感器, Hua Yu, Xiong Ting Chen, Xiu Hua Zhang and Sheng Fu Wang, *Electrochemistry Communications* 2007, Vol 9(11), 2671-2675
- 以二茂铁修饰的 Fe₃O₄@ SiO₂ 磁性纳米粒子作骨架构建无试剂酶基生物传感器, Jianding Qiu, Huaping Peng and Ruping Liang, *Electrochemistry Communications* 2007, Vol 9(11), 2734-2738
- 构建检测抗坏血酸中多巴胺的金纳米棒修饰的电极的一种模板合成, Zheng Jia, Jing Liu and Yanbin Shen, *Electrochemistry Communications* 2007, Vol 9(12), 2739-2743
- 使用氧代卟啉原的高效电化学阴离子传感器, Amy Lea Schunacher, Jonathan P. Hill, Katsuhiko Ariga and Francis D 'Souza, *Electrochemistry Communications* 2007, Vol 9(12), 2751-2754
- 用于固定生物分子的通过还原 4-氨基乙基苯重氮盐的电化学移植, Sophie Griveau, Dimitri Mercier, Christine Vautrin-Ul and Annie Chaussé, *Electrochemistry Communications* 2007, Vol 9(12), 2768-2773
- 使用稳定氧化锆和氧化锌传感电极的高敏感阻抗丙烯传感器, Ryotaro Wana, Masahiro Utiyama, Vladimir V. Plashnitsa and Norio Miura, *Electrochemistry Communications* 2007, Vol 9(12), 2774-2777
- 应用溶出伏安法制备的用于痕量金属检测的新型可降解溅射铈电极, Christos Kokkinos, Anastasios Economou, Ioannis Raptis, Constantinos E. Efsthathiou and Thanasis Speliotis, *Electrochemistry Communications* 2007, Vol 9(12), 2795-2800

(周剑章 编译)